Vaccine Administration Record for Children and Teens

Patient name: _	
Birthdate:	
Chart number	

Vaccine	Type of Vaccine¹ (generic abbreviation)	Date given (mo/day/yr)	Source (F,S,P) ²		Vaccine		Vaccine Information Statement		Signature/ initials of
					Lot #	Mfr.	Date on VIS ⁴	Date given ⁴	vaccinator
Hepatitis B⁵ (e.g., HepB, Hib-HepB, DTaP-HepB-IPV) Give IM.									
Diphtheria, Tetanus,									
Pertussis ⁵ (e.g., DTaP, DTaP-Hib, DTaP-HepB-IPV, DT, DTaP-Hib-IPV, Tdap, DTaP-IPV, Td) Give IM.									
Haemophilus									
influenzae type b⁵ (e.g., Hib, Hib-HepB,									
DTaP-Hib-IPV, DTaP-Hib) Give IM.									
Diar-nio) Give iwi.									
Polio ⁵									
(e.g., IPV, DTaP-HepB-IPV, DTaP-Hib-IPV, DTaP-IPV)									
Give IPV SC or IM. Give all others IM.									
Give all others livi.									
Pneumococcal (e.g., PCV, conjugate;									
PPV, polysaccharide)									
Give PCV IM. Give PPV SC or IM.									
Rotavirus (Rota) Give oral (po).									
Measles, Mumps, Rubella ⁵ (e.g., MMR,									
MMRV) Give SC. Varicella ⁵ (e.g., Var, MMRV) Give SC.									
Hepatitis A (HepA) Give IM.									
Meningococcal (e.g., MCV4; MPSV4) Give MCV4 IM and MPSV4 SC.									
Human papillomavirus (e.g., HPV) Give IM.									
Influenza ⁵ (e.g., TIV, inactivated; LAIV, live attenuated) Give TIV IM. Give LAIV IN.									
Other									

www.immunize.org/catg.d/p2022.pdf • Item #P2022 (2/08)

Record the generic abbreviation for the type of vaccine given (e.g., DTaP-Hib, PCV), not the trade name.

^{2.} Record the source of the vaccine given as either F (Federally-supported), S (State-supported), or P (supported by Private insurance or other Private funds).

^{3.} Record the site where vaccine was administered as either RA (Right Arm), LA (Left Arm), RT (Right Thigh), LT (Left Thigh), IN (Intranasal), or po (by mouth).

^{4.} Record the publication date of each VIS as well as the date it is given to the patient.

^{5.} For combination vaccines, fill in a row for each separate antigen in the combination.